

CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD	

FILEID**START

	SSSSSSSS	TTTTTTTT	AAAAAA	RRRRRRRR	TTTTTTTT
	SSSSSSSS	TTTTTTTT	AAAAAA	RRRRRRRR	TTTTTTTT
SS		TT	AA	RR	RR
SS		TT	AA	RR	RR
SS		TT	AA	RR	RR
SS	SSSSSS	TT	AA	RRRRRRRR	TT
SS	SSSSSS	TT	AA	RRRRRRRR	TT
SS	SS	TT	AAAAAA	RR	RR
SS	SS	TT	AAAAAA	RR	RR
SS	SS	TT	AA	RR	RR
SS	SS	TT	AA	RR	RR
SSSSSSSS	SSSSSSSS	TT	AA	RR	RR
SSSSSSSS	SSSSSSSS	TT	AA	RR	RR

....

	CCCCCCCC	LL	DDDDDDDD
	CCCCCCCC	LL	DDDDDDDD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CCCCCCCC	LLLLLLLL	DDDDDDDD	
CCCCCCCC	LLLLLLLL	DDDDDDDD	

Version: 'V04-000'

V03-016 JAK0227 J A Krycka 17-Aug-1984
Disallow certain printer queue specific qualifiers to be used
with /BATCH and /GENERIC.

V03-009 JAK0226 J A Krycka 16-Aug-1984
Change /OWNER to /OWNER_UIC for consistency with other commands.
Omit "list" as an attribute for the /OWNER_UIC qualifier.

V03-008 JAK0220 J A Krycka 12-Jul-1984
Add [NO]FEED option to the /DEFAULT qualifier.

V03-007 JAK0219 J A Krycka 11-Jul-1984
Add /BUFFER_COUNT and /EXTEND_QUANTITY qualifiers.

V03-006 MLJ0006 Martin L. Jack 29-Jul-1983
Add /LIBRARY and /SCHEDULE.

V03-005 MLJ0005 Martin L. Jack 27-May-1983
Changes for new QUEMAN image.

V03-004 MLJ0004 Martin L. Jack 27-Apr-1983
Changes for new QUEMAN image.

V03-003 MLJ0003 Martin L. Jack 01-Mar-1983
Changes for new QUEMAN image.

V03-002 PCA1008 Paul C. Anagnostopoulos 10 Feb 1983
Remove PREFIX clause.

V03-001 MLJ0001 Martin L. Jack 03-Jan-1982
Changes for new QUEMAN image.

define type print_bft
keyword all,default
keyword one

define type defaults
keyword burst,negatable,value(type=print_bft)
keyword feed,negatable
keyword flag,negatable,value(type=print_bft)
keyword trailer,negatable,value(type=print_bft)

define type retain
keyword all,default
keyword error

define type schedule
keyword size,negatable

define type separate
keyword burst,negatable
keyword flag,negatable
keyword reset,negatable,value(required,list)

```
keyword trailer,negatable

define type protection
  keyword system,value
  keyword group,value
  keyword owner,value
  keyword world,value

define syntax start_cpu
  image mp
  noparameters
  noqualifiers

define syntax start_queue
  parameter pt,prompt="Queue",value(required)

define syntax start_queue_manager
  parameter pt,prompt="File",value(type=$infile)

define verb start
  image queman
  parameter p1,prompt="What",value(required)
  qualifier align,      value(list)
  qualifier backward,   value
  qualifier base_priority,value(required)
  qualifier batch
  qualifier block_limit, value(required,list)
  qualifier buffer_count, value(required)
  qualifier characteristics,value(required,list)
  qualifier cpu,nonnegatable syntax=start_cpu
  qualifier cpudefault,  value(required)
  qualifier cpumaximum,   value(required)
  qualifier default,     value(required,list,type=defaults)
  qualifier disable_swapping
  qualifier enable_generic
  qualifier extend_quantity,value(required)
  qualifier form,        value(required)
  qualifier forward,     value
  qualifier generic,     value(list)
  qualifier job_limit,   value(required)
  qualifier library,     value(required)
  qualifier manager,     syntax=start_queue_manager
  qualifier new_version
  qualifier next
  qualifier on,          value(type=$infile,required)
  qualifier owner_uic,   value(required,type=$uic)
  qualifier processor,   value(required)
  qualifier protection,  value(required,list,type=protection)
  qualifier queue,       syntax=start_queue
  qualifier retain,      value(type=retain)
  qualifier schedule,    value(required,list,type=schedule)
  qualifier search,      value(required)
  qualifier separate,    value(required,list,type=separate)
  qualifier terminal
  qualifier trailer
  qualifier top_of_file
```

6 3
qualifier wsdefault, value(required)
qualifier wsextent value(required)
qualifier wsquota, value(required)
disallow default and (batch or generic)
disallow separate and (batch or generic)
disallow form and (batch or generic)

0047 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

SHOW
CLD

SPAWN
CLD

UFD
CLD

START
CLD

UNLOCK
CLD

DCLTABLE1
LIS

SUBMIT
CLD

SORT
CLD

SYNCH
CLD

TYPE
CLD

DCLTABLE2
LIS

MICRTABLES
LIS